


# **TABLE OF CONTENTS**

APPLIANCE SELECTIONS	<u> </u>
FIREPLACE OPTIONS5	,
LIGHTING SELECTIONS	•
INTERIOR DOOR HARDWARE7	7
BATHROOM HARDWARE	7
INTERIOR DOOR SELECTIONS	
BATHROOM FIXTURES9	
FLOORING & TILE	<u> </u>
HVAC HEATING & COOLING13	
SECURITY & TECHNOLOGY	}
SOUND ATTENUATION	ł





# **APPLIANCE SELECTIONS**



# FISHER & PAYKEL REFRIGERATOR

36"BUILT-IN PANEL READY BOTTOM FREEZER, FRENCH DOOR MODEL #RS36A72JIN

### **FEATURES**

ICE MAKER

16.8 CU. FT. CAPACITY
3 ADJUSTABLE GLASS SHELVES
ACTIVESMART
TECHNOLOGY
HUMIDITY CONTROL SYSTEM

SMART TOUCH CONTROL PANEL

# DIMENSIONS

WIDTH: 35 21/32" DEPTH: 23 3/4" HEIGHT: 71 27/32"



### **FISHER & PAYKEL GAS COOKTOP**

MODEL #CG305DNGXIN

### **FEATURES:**

INNOVALVE™ TECHNOLOGY
GAS ON STEEL COOKTOP
PRECISION DIALS
FIVE BURNERS
EASY CLEAN COOKTOP DESIGN
AUTO RE-IGNITION SYSTEM

#### **DIMENSIONS:**

HEIGHT: 2 5/16" WIDTH: 29 17/32" DEPTH: 20 7/8"



### FISHER & PAYKEL OVEN

30" SINGLE ELECTRIC WALL OVEN MODEL #OB30SCEPX3N

#### **FEATURES:**

# 4.1 CU. FT. CAPACITY 9 OVEN FUNCTIONS **AEROTECH CONVECTION**

2 FULL EXTENSION SLIDING SHELVES

**PYROLITIC SELF CLEAN** STAINLESS STEEL

#### **DIMENSIONS:**

EXTERIOR WIDTH: 29-29/32" EXTERIOR DEPTH: 23 -29/32" EXTERIOR HEIGHT: 27 1/16"



# FISHER & PAYKEL 24" MICROWAVE

MODEL# CMO24SS-3 Y & CMOTTK-30

#### **FEATURES:**

### 1.5 CU FT TOTAL CAPACITY 12 COOKING MODES INCLUDING DEFROST, POPCORN AND REHEAT **DESIGNED TO MATCH AESTHETICALLY** FOR FLEXIBLE CONFIGURATION ADD 30" TRIM KIT TO INTEGRATE WITH CABINETRY

#### **DIMENSIONS:**

DEPTH 19" HEIGHT 14 7/8" WIDTH 24 5/8" TRIM KIT: 30" WIDE



### FISHER & PAYKEL DISHWASHER

INTEGRATED PANEL READY MODEL# DW24U2II

#### **FEATURES:**

#### **DIMENSIONS:**

WIDTH: 23 3/4" TOP DOOR CONTROL INTERFACE DEPTH: 22 3/4" **ENERGY STAR** 

HEIGHT: 32 5/16 - 36 1/2" **QUIET PERFORMANCE** 

HEIGHT ADJUSTABLE MIDDLE RACK

FOLD-DOWN AND PITCH ADJUSTABLE RACKING



# WHIRLPOOL DRYER

**ELECTRIC FRONT LOAD** MODEL# YWED6620HC

#### **FEATURES**

### 7.4 CU FT CAPACITY STEAM REFRESH CYCLE WRINKLE SHIELD™ PLUS OPTION WITH STEAM INTUITIVE CONTROLS NUMBER OF DRYER CYCLES 37

### **DIMENSIONS**

**WIDTH: 27"** DEPTH: 31" HEIGHT: 38 3/4"



### **WHIRLPOOL** WASHER

FRONT LOAD WASHER MODEL# WFW6620HC **FEATURES:** 

5.2 CU FT CAPACITY **ENERGY STAR® CERTIFIED SMOOTH WAVE STAINLESS** STEEL WASH BASKET LOAD & GO™ XL DISPENSER INTUITIVE CONTROLS NUMBER OF WASH CYCLES 37

#### DIMENSIONS

WIDTH: 27" DEPTH: 31 9/16" HEIGHT: 38 5/8"



### FISHER & PAYKEL HOOD OPTION #1

VENTILATION CHIMNEY HOOD MODEL# HC30DTXB2 N

#### **FEATURES**

600CFM

4 AIR SPEED SETTINGS
DISHWASHER SAFE FILTERS
REMOVABLE, EASY TO CLEAN FILTERS
THAT EFFECTIVELY TRAP GREASE
AN EASY TO USE CONTROL PANEL

FOUR FAN SPEEDS FOR QUICK AND EFFECTIVE EXTRACTION

#### DIMENSIONS

WIDTH: 29 3/4" DEPTH: 19 11/16"

HEIGHT: 23 3/4" - 41 1/16



# **VOLTERRA** HOOD OPTION #2

WALL MOUNT CANOPY CHIMNEY HOOD MODEL# EVL430S2

#### **FEATURES**

STAINLESS PUSH BUTTON CONTROLS

HALOGEN LIGHTING 2 LIGHT INTENSITIES

3 SPEED BLOWER
TELESCOPIC CHIMNEY
400 CFM MAXIMUM

5.9 SONES MAXIMUM

ANODIZED ALUMINUM MESH FILTER

#### **DIMENSIONS**

WIDTH: 30" DEPTH: 20"

HEIGHT: 28 3/8" MIN TO 38" MAX



#### **ELICA HOOD OPTION #3**

28" CUSTOM HOOD INSERT MODEL# EPR628SI

#### **FEATURES**

600 CFM

3-SPEED INTERNAL BLOWER

8.1 SONES

2 DISHWASHER SAFE FILTERS

HALOGEN LIGHTING

CONVERTIBLE INSTALLATION

#### **DIMENSIONS**

WIDTH: 28 I/2" DEPTH: II I/4" HEIGHT: I0 II/I6"

# **OPTIONAL ADDITION**



### FISHER & PAYKEL COFFEE MAKER

24" BUILT-IN COFFEE MAKER MODEL# EB24DSXB1

#### **FEATURES**

13 COFFEE OPTIONS

ADJUSTABLE STRENGTH, TEMPERA-TURE AND CUP SIZES

SELF CLEANING FUNCTION

REFILL COFFEE BEAN REMINDER SMART SELF-LEARNING MENU

WATER TANK EMPTY INDICATOR

HIGH RESOLUTION TOUCH DISPLAY

CLEANING REMINDER

#### **DIMENSIONS**

HEIGHT: 18 1/64" WIDTH: 23 29/64" DEPTH: 18 57/64""

#### PRICE

+\$4,999.00



# **BUILT-IN FIREPLACE**



# **IGNITE XL®** FIREPLACE 60" LINEAR ELECTRIC FIREPLACE XLF60

# **FEATURES**

MULTI-FIRE XD® FLAME EFFECT
VIVID FLAMES DAY OR NIGHT
CLEAN FRONT FACE WITH MINIMAL TRIM
CHOOSE FROM A VARIETY OF BRILLIANT
COLOUR THEMES
EDGELESS DESIGN
PRECISION THERMOSTAT
BUILT-IN TOUCH CONTROLS
HEAT BOOST QUICKLY WARMS A ROOM
MOOD-MAKER REMOTE
COOL-TOUCH GLASS GLASS

# **DIMENSIONS**

120 VOLTS | 1,500 WATTS | 5,118 BTU 68-3/8" X 24-1/4" X 15" (WXHXD)

# **LIGHTING SELECTIONS**



**DINING** ROOM 38" X I I"



**KITCHEN** LIGHTS 10" D



**LIVING** ROOM 24" D



**LED POT LIGHTS**CHOICE OF 3 FINISHES



**BEDROOM** FIXTURE 15" D



**EXTERIOR** FIXTURE 8" H



# INTERIOR DOOR HARDWARE



TAYMOR – 1948 MATTE BLACK & POLISHED CHROME



**TAYMOR – ART DECO**MATTE BLACK & POLISHED CHROME



TAYMOR – VEGA MATTE BLACK & POLISHED CHROME



# **BATHROOM** HARDWARE



TAYMOR – ALLUSION MATTE BLACK & POLISHED CHROME




TAYMOR – 1948
MATTE BLACK & POLISHED CHROME




TAYMOR – ART DECO MATTE BLACK & POLISHED CHROME



# **INTERIOR DOOR SELECTIONS**



# **BASEBOARD & CASING OPTIONS**





# **KITCHEN HARDWARE**



# **BLANCO VISION U 2** SILGRANIT® KITCHEN SINK

#### **FEATURES**

SILGRANIT® NATURAL GRANITE COMPOSITE MATERIAL EXCEPTIONAL RESISTANCE TO HEAT, SCRATCHES AND IMPACT REPELLANT - DOES NOT ABSORB ANY LIQUIDS, ACIDS OR STAINS NON-POROUS SURFACE DOES NOT REQUIRE USE OF HARSH CHEMICALS HYGIENIC+PLUS SURFACE PROTECTION FORMULA AGAINST BACTERIA REAR-POSITIONED AND CENTRED DRAIN HOLE MAXIMIZES USABLE BOWL AND CABINET STORAGE

VIRTUALLY FLAT SINK BOTTOM PREVENTS GLASSWARE FROM TIPPING LIMITED LIFETIME WARRANTY















CINDER



**BISCUIT** 



**ANTHRACITE** 



**DELTA TRINSIC PULL-OUT FAUCET** 



# **BATHROOM FIXTURES**



### **KOHLER** CAXTON

**RECTANGLE UNDER-MOUNT SINK** 

#### **FFATURES**

- RECTANGULAR BASIN.
- •OVERFLOW DRAIN.
- •NO FAUCET HOLES; REQUIRES WALL- OR COUNTER-MOUNT FAUCET.



#### **DELTA** ARA

SINGLE HANDLE DECK MOUNT

#### **FEATURES**

- ONE OR THREE HOLE MOUNT (ESCUTCHEON OPTIONAL, INCLUDED)
- CERAMIC CARTRIDGE
- 3/8" O.D. STRAIGHT, STAGGERED PEX SUPPLY LINES
- RED/BLUE INDICATOR MARKINGS
- SOLID BRASS FABRICATED SPOUT





### **KOHLER** HIGHLINE

COMFORT HEIGHT CLASS FIVE TOILET

#### **FEATURES**

- •TWO-PIECE TOILET.
- ELONGATED BOWL OFFERS ADDED ROOM AND COMFORT.
- $\bullet$  COMFORT HEIGHT® FEATURE OFFERS CHAIR-HEIGHT SEATING THAT MAKES SITTING DOWN AND STANDING UP EASIER FOR MOST ADULTS.
- 1.28 GALLONS PER FLUSH (GPF).
- •STANDARD LEFT-HAND POLISHED CHROME TRIP LEVER INCLUDED.
- $\bullet$  insuliner® tank liner minimizes condensation on the tank when exposed to high humidity.
- SINGLE-FLUSH GRAVITY USES THE FORCE OF GRAVITY AND A PRECISION-ENGINEERED TANK, BOWL, AND TRAPWAY TO CREATE A STRONG SIPHON DURING FLUSHING.
- $\bullet$  CLASS FIVE® FLUSHING TECHNOLOGY OFFERS VIRTUALLY PLUG-FREE PERFORMANCE AND RINSING POWER FOR A CLEAN BOW



#### **HYTEC** BATHCOVE

**GUEST BATH/SHOWER** 

#### **FEATURES**

- EASY TO CLEAN HIGH GLOSS SURFACE
- CHIP AND MAR RESISTANT
- MOULDED-IN FLOOR PATTERN
- LUMBAR SUPPORT BACKREST
- UPPER AND LOWER TOILETRY SHELVES
- EXTENDED APRON FOR ABOVE FLOOR ROUGH-IN
- CLEAR ACRYLIC GRIP RAIL

# **DELTA ARA** TRIM KIT MAIN BATH SHOWER PACKAGE MATTE BLACK & POLISHED CHROME















# **FLOORING**








# TILE







# **CAESARSTONE** COUNTERTOP









# **HVAC HEATING & COOLING**



#### **UNIVERSE** THERMOSTAT

#### **FEATURES**

- 4.3" TOUCH SCREEN LCD DISPLAY
- INTEGRATION WITH HOME AUTOMATION SYSTEMS GOOGLE ASSISTANT® AND AMAZON ALEXA®
- 7 DAY PROGRAMMABLE WITH 4 TIME SLOTS / DAY
- 3 SPEED FAN CONTROL WITH DIFFERENTIAL FROM SET-POINT LOGIC TO MINIMIZE FAN NOISE AND INCREASE COMFORT
- INDOOR HUMIDITY DISPLAY
- FREEZE STAT SENSOR ATTACHED ON THE FRONT OF THE COIL TO MONITOR INDOOR AIR TEMPERATURE AND SENDS ALARM WHEN INCOMING AIR APPROACHES 0C / 32F. UNIT ENTERS FREE PROTECTION MODE.
- DRAIN PAN SENSOR (STANDARD IN VFC) MONITORS DRAIN PAN LEVEL AND WILL SHUT OFF THE UNIT TEMPORARILY TO STOP PRODUCING CONDENSATE – ALARM IS VISIBLE ON WIFI PLATFORM
- FLOOD PROTECTION SWITCH (OPTIONAL) CAN BE ADDED IN PARALLEL WITH DRAIN PAN SENSOR
- SET BACK TEMPERATURE DOOR CONTACT / WINDOW CONTACT SENSOR OR OCCUPANCY SENSOR FOR WHEN RESIDENTS ARE WAY TO ADJUST TEMPERATURE SETTINGS TO CONSERVE ENERGY.
- RF SENSOR REMOTE TEMPERATURE SENSOR CAN BE ADDED TO MONITOR AND CONTROL REMOTE AREAS OF THE RESIDENCE SUCH AS BEDROOM ETC. (SENSOR OPTIONAL)
- BACNET (OPTIONAL) CAN BE CONFIGURED FOR CENTRAL BUILDING MANAGEMENT APPLICATIONS (RENTAL SUITES)
- TEMPERATURE CALIBRATION OFFSETS CAN BE ADDED IF THE THERMOSTAT IS IN DIRECT SUNLIGHT OR NEAR A COLD WINDOW
- PURGE MODE FOR FAN COILS AT THE TOP OR BOTTOM OF THE RISER NETWORK, YOU CAN SET A PURGE TIME TO FLUSH WATER THROUGH THE COIL FOR A SET AMOUNT OF TIME TO ENSURE APPROPRIATE TEMPERATURE IN COIL.
- SUITABLE FOR ALL FAN COIL, HEAT PUMP OR GAS / ELECTRIC FURNACE APPLICATIONS.

#### **MOBILE CONTROL & SMART HOME CONNECTIVITY**

CHANGE THE TEMPERATURE, SWITCH MODES, ADJUST PROGRAMS AND MORE FROM YOUR PHONE. RESIDENTS WILL RECEIVE ALERTS THROUGH UNIVERSE AND BY EMAIL IF THERE IS AN ISSUE WITH THE HVAC SYSTEM. THEY'LL ALSO RECEIVE MONTHLY USAGE REPORTS.

# **SECURITY & TECHNOLOGY**



- SMART LOCK FOR FRONT DOOR OF UNIT, HOMES COME WITH COMPLETE SECURITY SYSTEM INSTALL (I KEY PAD, 2 MOTIONS AND EXTERNAL UNIT DOOR CONTACTS)
- BUILDING ACCESS VIA ACCESS CONTROL SYSTEMS (KEY FOB ACCESS)
- SMART LIGHTING SYSTEM: INCLUDING 1 SMART BRIDGE, 5 WIRELESS DIMMER SWITCHES, AND 1 REMOTE
- INTEGRATED WIRING, 2 SMART PLUG USB PLUG JACK CONNECTIONS, TV / TELEPHONE CONNECTIONS IN PRINCIPAL AREAS, AND WIRELESS ACCESS POINT
- INCLUDED MULTI-ROOM IN-WALL SPEAKERS (3 LOCATIONS)
- EV CAR CHARGING STATION

# **SOUND ATTENUATION**

# **PARTY WALL** ASSEMBLY

